Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Medical inspection of immigrants at Philadelphia during March, 1899.

PHILADELPHIA, PA., *April 6, 1899.*

SIR: I have the honor to report that 667 immigrants were inspected at this port during the month of March, 1899. There was 1 rejection for favus of scalp. There were also 32 patients of the immigration department examined during the same time.

Respectfully, yours,

H. W. AUSTIN,
Surgeon, U. S. M. H. S.

Reports of States and yearly and monthly reports of cities of the United States.

CALIFORNIA—*Los Angeles.*—Month of March, 1899. Estimated population, 103,000. Total number of deaths, 160, including diphtheria, 2; measles, 1; influenza, 1, and 29 from phthisis pulmonalis.

Sacramento.—Month of March, 1899. Estimated population, 30,000. Total number of deaths, 41, including 7 from phthisis pulmonalis.

San Diego.—Month of March, 1899. Census population, 16,159. Total number of deaths 14, including scarlet fever 1, and 3 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of March from 167 towns having an aggregate population of 892,435 show a total of 1,221 deaths, including diphtheria, 13; enteric fever, 2; measles, 2; la grippe, 19; scarlet fever, 7; whooping cough, 4, and 122 from phthisis pulmonalis.

LOUISIANA—*New Orleans.*—Month of March, 1899. Estimated population, 300,000—white, 210,000; colored, 90,000. Total number of deaths, 689; white, 397; colored, 292, including enteric fever, 5; leprosy, 1; whooping cough, 1, and 99 from phthisis pulmonalis.

MARYLAND—*Baltimore.*—Month of January, 1899. Estimated population, 541,000—white, 463,000; colored, 78,000. Total number of deaths, 1,019; white, 794; colored, 225, including diphtheria, 29; enteric fever, 12; measles, 2; influenza, 140, and 92 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended April 8, 1899, from 74 observers indicate that scarlet fever, intermittent fever, inflammation of bowels, and pleuritis increased and erysipelas decreased in area of prevalence. Phthisis pulmonalis was reported present at 130, measles at 47, scarlet fever at 38, diphtheria at 25, enteric fever at 21, whooping cough at 12, and smallpox at 5 places.

Port Huron.—Month of March, 1899. Estimated population, 20,000. Total number of deaths, 26, including la grippe 1, and 2 from phthisis pulmonalis.

MINNESOTA—*St. Paul.*—Month of March, 1899. Estimated population, 200,000. Total number of deaths, 136, including diphtheria, 5; scarlet fever, 1; whooping cough, 1, and 16 from phthisis pulmonalis.

Winona.—Month of March, 1899. Estimated population, 24,000.

Total number of deaths, 25, including diphtheria, 1; cerebro meningitis, 1; spinal meningitis, 1, and 1 from phthisis pulmonalis.

NEW HAMPSHIRE—*Manchester.*—Month of March, 1899. Estimated population, 60,000. Total number of deaths, 100, including la grippe, 4, and 14 from phthisis pulmonalis.

NEW YORK—*Buffalo.*—Month of March, 1899. Estimated population, 370,000. Total number of deaths, 394, including diphtheria, 2; enteric fever, 7; influenza, 7; scarlet fever, 6; whooping cough, 6, and 33 from phthisis pulmonalis.

Yonkers.—Month of March, 1899. Estimated population, 43,000. Total number of deaths, 85, including diphtheria, 2; scarlet fever, 1, and 10 from phthisis pulmonalis.

OHIO—*Toledo.*—Month of March, 1899. Estimated population, 151,520. Total number of deaths, 143, including diphtheria, 10; enteric fever, 2; scarlet fever, 1, and 14 from phthisis pulmonalis.

TENNESSEE—*Nashville.*—Month of March, 1899. Estimated population, 120,834. Total number of deaths, 202, including diphtheria, 1; enteric fever, 1; measles, 2; influenza, 6; whooping cough, 1, and 34 from phthisis pulmonalis.

WISCONSIN—*Superior.*—Month of March, 1899. Estimated population, 35,000. Total number of deaths, 38, including 1 from scarlet fever.

MORTALITY TABLE, CITIES OF THE UNITED STATES—Continued.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from— Phthisis pulmonalis.	Yellow fever.	Smallpox.	Varioloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Ashtabula, Ohio	Apr. 1	8,338	10	1										
Do	Apr. 8	8,338	4									1		
Do	Apr. 15	8,338	3	1										
Baltimore, Md	do	434,439	223	20						2	1	3		
Baton Rouge, La	Apr. 8	10,477	6	5										
Do	Apr. 15	10,477	5							1				
Bay City, Mich	do	27,839	7											
Boston, Mass	do	448,477	215	11						1	1	6	1	2
Bridgeport, Conn	do	48,866	19	1										1
Bristol, R. I	Apr. 8	5,478	3											
Brockton, Mass	do	27,294	7											
Charleston, S. C	do	a54,955	b31	6										
Chelsea, Mass	do	27,909	12	3										
Cheyenne, Wyo	do	11,690	3										2	
Chicago, Ill	Apr. 15	1,099,850	579	60						2	16	9	8	2
Chicopee, Mass	Apr. 8	14,050	6	1						1				
Do	Apr. 15	14,050	9							1				
Chillicothe Ohio	do	11,288	6							1				
Chippewa Falls, Wis	Apr. 13	8,670	2											
Cincinnati, Ohio	Apr. 7	296,908	133	12		1				2		2	4	
Cleveland, Ohio	Apr 15	261,353	138	5						2	1	1	1	
Concord, N. H	do	17,044	6											
Dayton, Ohio	do	61,220	33	1										
Denver, Colo	Mar. 25	106,713	43	11								1	1	1
Do	Apr. 1	106,713	c53	18										
Detroit, Mich	Apr. 8	205,876	102	11										
Do	Apr. 15	205,876	94	10								2		
Dunkirk, N. Y	Apr. 8	9,416	5	1										
Dunmore, Pa	do	8,315	2											
Elmira, N. Y	do	29,708	12	1										
Erie, Pa	Apr. 15	40,634	11	1										
Everett, Mass	Apr. 8	11,068	10	2								1		
Fitchburg, Mass	do	22,037	11										2	
Green Bay, Wis	Apr. 1	9,069	4											
Do	Apr. 8	9,069	2											
Do	Apr. 15	9,069	4											
Holyoke, Mass	do	35,637	12	1						1				
Jacksonville, Fla	Apr. 8	17,201	16											
Do	Apr. 15	17,201	9	1										
Jersey City, N. J	Apr. 9	163,003	79	6							1	3		
Johnstown, Pa	Apr. 15	21,805	12	3										
Kalamazoo, Mich	Apr. 8	17,853	8											
Do	Apr. 15	17,853	7									1		
Lancaster, Pa	Apr. 8	32,011	d28							3				
Lansingburg, N. Y	Apr. 15	10,550	4											
Lawrence, Mass	Apr. 8	44,654	14	1						1				
Los Angeles, Cal	Apr. 1	50,395	29	11								1		
Do	Apr. 8	50,395	24	3		1							2	
Louisville, Ky	Apr. 6	161,129	98	16						3				
Do	Apr. 13	161,129	87	11		1								
Lowell, Mass	Apr. 15	77,696	28	2		1				1				
Lynchburg, Va	do	19,709	13	2						1				
McKeesport, Pa	Apr. 8	20,741	14									1		
Manchester, N. H	Apr. 15	44,126	17	2						1				
Massillon, Ohio	Apr. 8	10,092	5											
Do	Apr. 15	10,092	3									1		
Medford, Mass	do	11,079	9											
Melrose, Mass	Apr. 8	8,519	5											
Do	Apr. 15	8,519	1											
Middletown, N. Y	Apr. 7	11,977	8											
Minneapolis Minn	Apr. 8	164,738	54	5						1		1		
Mobile, Ala	Apr. 15	31,076	9	4										
Nashville, Tenn	Apr. 8	76,168	36	4								2		
Do	Apr. 15	76,168	46	7									1	
Nashua, N. H	Apr. 8	19,311	0											
New Bedford, Mass	Apr. 15	40,733	34							1		1		
New Brunswick, N. J	do	18,603	11											
Newburyport, Mass	Apr. 8	13,947	9	1										

a Estimated population, 65,165—white, 28,870; colored, 36,295.
b White, 7; colored, 24.
c Cerebro-spinal meningitis, 5.
d Cerebro-spinal meningitis, 8.